


SECTIONAL VIEW - ECLIPSE Model 36X54 TYPE 1L




RAIL FORCES

| | | |
|----------|----------|----------|
| *R1 | *R2 | *R3 |
| 1000 LBS | 1000 LBS | 1000 LBS |
| 1000 LBS | 1000 LBS | 1000 LBS |
| 1000 LBS | 1000 LBS | 1000 LBS |
| 1000 LBS | 1000 LBS | 1000 LBS |
| 1000 LBS | 1000 LBS | 1000 LBS |
| 1000 LBS | 1000 LBS | 1000 LBS |
| 1000 LBS | 1000 LBS | 1000 LBS |
| 1000 LBS | 1000 LBS | 1000 LBS |
| 1000 LBS | 1000 LBS | 1000 LBS |

PIT FLOOR TO SUPPORT (LND) DIMENSIONS (IMPACT)

2909 kg (6470 LBS)



CHARACTERISTICS



PROVISIONS BY OTHERS

GENERAL

APPLIED CODE: _____

CAPACITY: _____ (750, 1000 LBS)

NOMINAL SPEED: _____ (40 FPM)

TRAVEL: _____

PIT DEPTH: _____ (MIN. 6')

CAR DETAILS

CAB PANEL SELECTION: _____ (SEE CHART)

CEILING SELECTION: _____ (MATCH)

CAB FLOORING: _____ (PLYV, FINISH)

FINISHED FLOOR THICKNESS: _____ (1/8 to 3/4')

CAB HEIGHT: _____ (80, 96')

CAB OPERATION: _____ (AUTO)

GATE TYPE: _____ (V/FLD, C/FLD, CAB STILL)

LOCKS/CALL STATIONS/TRAVEL/DOORS(BY OTHERS)

TRAVEL: _____

ENTRANCE SIDE: _____

DOOR SWING: _____

LOCK TYPE: _____

AUTO DOOR OP: _____

STANDARD OPTIONS PROVIDED:

BUTTON MARKING: _____ (NUMERIC (1 to 4))

HALL CALL KEYS: _____ (NO)

HALL CALL FINISH: _____ (MATCH CAR STATION)

HALL CALL SHAPE: _____ (RECTANGULAR)

PREVISE PACKAGE: _____ (NO)

CONTROLLER LOCATION: _____ (EXTERNAL)

DRIVE UNIT

DRIVE ASSEMBLY MFR: _____

MOTOR: _____ (20 HP/1660 RPM V/Broke)

GEAR MODEL: _____ (421/71 Ratio Gear Box)

MOTOR CONTROLLER: _____ (Pre-programmed V/F Drive)


SUSPENSION

TYPE: _____ (DUAL #60 ROLLER CHAIN)

NOMINAL STRENGTH: _____ (ANSI B291)

ELECTRICAL POWER SUPPLY: _____ (60 Hz/1 Phase/230 volt)

2 MOUNTING POSITIONS CENTER OR SIDE



| FINAL RAIL BRACKET | BELOW THE MOTOR CONSULT YOUR REPRESENTATIVE FOR LOCATION |
|---------------------------|--|
| INTERMEDIATE RAIL BRACKET | 32" [813mm] INTERVALS AFTER 2ND BOTTOM BRACKET |
| BOTTOM RAIL BRACKET | 44" [1118mm] & ABOVE PIT FLOOR |

DOOR SWING



2"x4" (51x102mm) ELECTRICAL BOX

LEFT HAND SHOWN RIGHT HAND OPPOSITE

HALL BUTTON NEEDED AT ALL FLOORS

DOOR SWING

LEFT HAND SWING

RIGHT HAND SWING

ENTRANCE SIDE

DOOR SWING

LOCK TYPE

AUTO DOOR OP

STANDARD OPTIONS PROVIDED

BUTTON MARKING: _____ (NUMERIC (1 to 4))

HALL CALL KEYS: _____ (NO)

HALL CALL FINISH: _____ (MATCH CAR STATION)

HALL CALL SHAPE: _____ (RECTANGULAR)

PREVISE PACKAGE: _____ (NO)

CONTROLLER LOCATION: _____ (EXTERNAL)

DISCONNECT (2): _____ (NO)

BUFFER SPRING: _____ (NO)

TEMP. RUN BUTTON: _____ (NO)

EXTRA CABLE (REMOTO)C: _____ (NO)

WALL FASTENERS: _____ (LAG)

CUSTOMER: _____ DATE: _____

PROJECT: _____ REGION: _____

LOCATION: _____ CODED BY: _____

DATE: _____

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF SAVARIA.

AND NOT BE USED BY OTHERS WITHOUT WRITTEN CONSENT.

RESIDENTIAL ELEVATOR

ECLIPSE MODEL 36X54 TYPE 1L