



PROVISIONS BY OTHERS

HOISTWAY - THE HOISTWAY MUST BE IN ACCORDANCE WITH SAFETY CODE FOR ELEVATORS AND ESCALATORS' (ASSE A17.1) AND ALL STATE AND LOCAL CODES. CLEARANCES MUST BE MAINTAINED THROUGHOUT THE ENTIRE TRAVEL OF THE CAR AND COUNTERWEIGHT. CLEARANCES MUST BE MAINTAINED WITH THE DIMENSIONS IN THESE DRAWINGS.

MINIMUM CLEARANCE - OVERHEAD - OVERHEAD MUST ENSURE MINIMUM OVERHEAD CLEARANCE. OVERHEAD MUST BE MAINTAINED THROUGHOUT THE ENTIRE TRAVEL OF THE CAR AND COUNTERWEIGHT. OVERHEAD MUST BE MAINTAINED THROUGHOUT THE ENTIRE TRAVEL OF THE CAR AND COUNTERWEIGHT. OVERHEAD MUST BE MAINTAINED THROUGHOUT THE ENTIRE TRAVEL OF THE CAR AND COUNTERWEIGHT.

TABLE 3
ELECTRICAL

WIRE & EQUIP	NO. AMPS	VOLTS	PHASE	FLA
WIRE & EQUIP	80 AMPS	208 VOLT	THREE PHASE	28.9 AMPS
WIRE & EQUIP	60 AMPS	208 VOLT	THREE PHASE	21.7 AMPS
CAB LIGHTS	15 AMPS	115 V	SINGLE PHASE	35.0 AMPS

NOTE: C. ALL INFORMATION IS SUBJECT TO CHANGE. PLEASE REFERENCE OUR ON-LINE DRAWINGS AT WWW.SAVARIA.COM FOR THE MOST RECENT UPDATES.

NOTE: C. ALL INFORMATION IS SUBJECT TO CHANGE. PLEASE REFERENCE OUR ON-LINE DRAWINGS AT WWW.SAVARIA.COM FOR THE MOST RECENT UPDATES.

RESIDENTIAL ELEVATOR
ZENITH MODEL 36X54 TYPE 3

CUSTOMER: _____
PROJECT: _____
LOCATION: _____

DATE: _____
REGION: _____
COMPLETED BY: _____

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF Savaria
AND MAY NOT BE USED BY OTHERS WITHOUT WRITTEN CONSENT

1/1