

PROVISIONS BY OTHERS

GENERAL
 HOISTWAY - THE HOISTWAY MUST BE IN ACCORDANCE WITH SAFETY CODE FOR ELEVATORS AND ESCALATORS (ASME A17) AND ALL STATE AND LOCAL CODES.
 RULING HOISTWAY - DUE TO CLOSE RUNNING CLEARANCES OVER/AGENT MUST ENSURE THAT HOISTWAY AND PIT COVER PROVIDED THE MINIMUM CLEARANCE DIMENSIONS ARE IN ACCORDANCE WITH THE DIMENSIONS ON THESE DRAWINGS.
 OVERHEAD CLEARANCE - OVER/AGENT MUST ENSURE MINIMUM OVERHEAD CLEARANCE IS IN COMPLIANCE WITH CODES.
 CONSTRUCTION SITE - OVER/AGENT TO PROVIDE ALL MASONRY, CONCRETE, FINISH PAINTING AND ALL AREAS WHERE VIBES AND WALLS/FLOORS MAY REQUIRE TO BE CUT, DRILLED OR ALTERED IN ANY WAY TO PERMIT THE PROPER INSTALLATION OF THE LIFT.
 OVER/AGENT/CUSTOMER TO VERIFY ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO OUR OFFICE IMMEDIATELY.
 STRUCTURAL
 FLOOR/SUPPORT WALL LOADS - STRUCTURE TO ANCHOR A GRADE SHIRT AND SAFETY HARNESS, WHERE APPLICABLE/NEEDED TO BE PROVIDED BY CONTRACTOR. CONTRACTOR TO ASSURE THAT BUILDING AND SHIRT WALL SUPPORT ALL LOADS IMPOSED BY THE LIFT EQUIPMENT REFER TO THE TABLES ON THIS DRAWING FOR LOADS IMPOSED BY THE EQUIPMENT.
 MACHINE ROOM (WHERE REQUIRED)
 MACHINE ROOM ACCESS - MACHINE ROOM LOCATED AT THE LOWEST LEVEL, LADDER ACCESS TO MACHINE ROOM SHALL BE PROVIDED IN ALL LAYOUT DRAWINGS. FIELD ADJUSTMENT BY INSTALLER MAY BE NECESSARY TO MEET JOB SITE CONDITIONS OR REGULATIONS.
 MACHINE ROOM DOOR IS TO BE LOCKABLE AND IS TO MEET THE PERMANENT FINISH REQUIREMENTS.
 SLEEVES FOR ELECTRICAL LINES - FROM MACHINE ROOM TO HOISTWAY AS REQUIRED. POSITION PER INSTALLERS INSTRUCTIONS.





TABLE 3
 WIRING DATA

WIRE SIZE	VOLTS	PHASE	FLA
10 AWG	120	1	30
12 AWG	240	3	15

NOTE C
 ALL INFORMATION IS SUBJECT TO CHANGE.
 PLEASE REFERENCE OUR ON-LINE DRAWINGS AT WWW.SAVARIA.COM FOR THE MOST RECENT UPDATES





TABLE 1
 RAIL FORCES

RAIL WEIGHT	80 lbs / 7 ft
*R1	500 lbf
*R2	1570 lbf

TABLE 2
 PIT RE-ACTION FORCE

PIT RE-ACTION FORCE	LOADS ON PIT
R3	8000 LBS
R4	3000 LBS
R5	5900 LBS

RESIDENTIAL ELEVATOR
 ZENITH MODEL 36X54 TYPE 2

CUSTOMER: _____
 PROJECT: _____
 LOCATION: _____
 DATE: _____
 DRAWN BY: _____
 CHECKED BY: _____

 SHEET 1/1