

PROVISIONS BY OTHERS

GENERAL
 HOISTWAY - THE HOISTWAY MUST BE IN ACCORDANCE WITH SAFETY CODE FOR ELEVATORS AND ESCALATORS (ASME A17.1) AND ALL STATE AND LOCAL CODES.
 RAILB HOISTWAY - DUE TO CLOSE RUNNING CLEARANCES OVER/AGENT MUST ENSURE THAT HOISTWAY AND PIT OVERHEAD PROVIDED THE MINIMUM CLEARANCE AS SHOWN IN THESE DRAWINGS WITH THE DIMENSIONS ON THESE DRAWINGS.
 MINIMUM OVERHEAD CLEARANCE - OVER/AGENT MUST ENSURE MINIMUM OVERHEAD CLEARANCE IS IN COMPLIANCE WITH CODES.
 CONSTRUCTION SITE - OVER/AGENT TO PROVIDE ALL MASONRY, CONCRETE, FINISH FLOORING, FINISH WALLS AND FINISH CEILING AND WALLS/FLOORS MAY REQUIRE TO BE CUT, DRILLED OR ALTERED IN ANY WAY TO PERMIT THE PROPER INSTALLATION OF THE LIFT.
 OVER/AGENT/CUSTOMER TO VERIFY ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO OUR OFFICE IMMEDIATELY.

STRUCTURAL
 LIFT/SUPPORT WALL LOADS - STRUCTURE TO ANCHOR A GRADE SHAFR AND SAFETY HARNESS, WHERE APPLICABLE/REQUIRED, TO BE PROVIDED BY CONTRACTOR. CONTRACTOR TO ASSURE THAT BUILDING AND SHAFR WILL SAFELY SUPPORT ALL LOADS IMPOSED BY THE LIFT EQUIPMENT REFER TO THE TABLES ON THIS DRAWING FOR LOADS IMPOSED BY THE EQUIPMENT.
 MACHINE ROOM (WHERE REQUIRED)
 LEADLINE DEVICES - MACHINE ROOM LOCATED AT THE LOWEST LEVEL OF THE BUILDING. LEADLINE DEVICES SHALL BE PROVIDED AS SHOWN IN THE LAYOUT DRAWINGS. FIELD ADJUSTMENT BY INSTALLER MAY BE NECESSARY TO MEET JOB SITE CONDITIONS OR REGULATIONS.
 MACHINE ROOM DOOR IS TO BE LOCKABLE AND IS TO MEET THE REQUIREMENTS FOR LOCKS IMPOSED BY THE REGULATIONS.
 SLEEVES FOR ELECTRIC LINES - FROM MACHINE ROOM TO HOISTWAY AS REQUIRED. POSITION PER INSTALLERS INSTRUCTIONS.

TABLE 3

WIRE SIZE	VOLTS	PHASE	FIA
MOTOR & EQUIP	60 AMPS	40 AMPS	50 AMP
CAB LIGHTS	15 AMPS	15 AMPS	15 V








TABLE 1

RAIL FORCES

RAIL WEIGHT	R1	R2
500 lb/ft	1570	164
80 lbs/ft	74	

FOR TOTAL RAIL-OFF FORCE ON RAIL BRACKET, USE THE WEIGHT OF RAIL FOR LOCAL APPLICATION OF PIT LOAD, R1 MUST BE DOUBLED.




TABLE 2

PIT REACTION FORCE

PIT	LOADS ON PIT
R3	8000 LBS
R4	3000 LBS
R5	9500 LBS

NOTE C

ALL INFORMATION IS SUBJECT TO CHANGE. PLEASE REFERENCE OUR ON-LINE DRAWINGS AT WWW.SAVARIA.COM FOR THE MOST RECENT UPDATES.

RESIDENTIAL ELEVATOR
ZENITH MODEL 40X48 TYPE 1R

CUSTOMER:	DATE:
PROJECT:	ISSUE NO.:
LOCATION:	COMPANY:

THE INFORMATION CONTAINED HEREIN IS THE EXCLUSIVE PROPERTY OF **savaria**

SHEET 1/1